

Text above this line is not included in the label

CAUTION  
KEEP OUT OF REACH OF CHILDREN

**Baysol<sup>®</sup> Snail & Slug Bait**

Active Constituent: 20 g/kg METHIOCARB  
(an anticholinesterase compound)

Contains Bitrex<sup>1</sup>

Proven protection from snails, slugs, slaters and millipedes in the home garden.

Fast acting

Long lasting

Mould resistant

250 g  
500 g  
600 g  
1 kg

---

YATES

---

Text above this line is not included in the label

*“Back of pack”*


### How to use -

DO NOT heap pellets.

Situation	Pest	Rate	How to apply
Gardens	Snails, Slugs, Slaters, Millipedes	100 pellets per square metre	Sprinkle evenly onto ground. Heaping is unnecessary and wasteful.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED**

DO NOT PICK EDIBLE CROPS FOR 7 DAYS AFTER APPLYING



Heaping Baysol is wasteful and may pose a risk to dogs or cats.



Just sprinkle it about like this.

*“250 g pack”* -

**AS A GUIDE 1 PELLETT IS SUFFICIENT TO COVER THE AREA OF THIS PACK.**

*“Other pack sizes”* -

**AS A GUIDE “500 g” 2 “600 g” 3 “1 kg” 4 PELLETS ARE SUFFICIENT TO COVER THE AREA OF THIS PACK.**

**Caution:** Avoid application of pellets to foliage of edible crops. DO NOT allow chemical containers or product to get into drains, sewers, streams or ponds. **IMPORTANT: Refer to Pet Protection on the side panel.**

**Storage and Disposal:** Store in the closed original container, in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

**First Aid:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126. If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, remove contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

### LIABILITY

This product must be used strictly as directed. Bayer Australia Limited accepts no responsibility for loss or damage arising from failure to follow directions for use.

Bayer Environmental Science  
Bayer CropScience Pty Ltd  
391-393 Tooronga Road  
Hawthorn East Victoria 3123

NRA Approval Number 45935/0599

Marketed and recommended by Arthur Yates & Co Limited  
21a Richmond Road Homebush NSW 2140

www.yates.com.au

® Trademark of Bayer

**Text above this line is not included in the label**

---

<sup>1</sup> Trademark of Macfarlan Smith Ltd.

**Text above this line is not included in the label**

---

*“Side panel 1”*

**Baysol Snail & Slug Bait  
Contains Bitrex<sup>1</sup>**

**Pet Protection**

EVEN THOUGH BAYSOL CONTAINS A PET TASTE DETERRENT, SOME PETS MAY STILL FIND THE BAIT ATTRACTIVE AND EAT THE PELLETS. IF EATEN, THEY WILL BE POISONED WHICH COULD LEAD TO DEATH. IF POISONING IS SUSPECTED, TAKE THE PET TO A VETERINARIAN IMMEDIATELY.

ENSURE PETS DO NOT HAVE ACCESS TO THIS BOX BY LOCKING IN A SAFE PLACE.

DO NOT treat areas on which poultry graze.

Only Baysol has an antidote available.


DO NOT give dogs Ipecac Syrup.

**Text above this line is not included in the label**


*“Side panel 2”*

Baysol Snail & Slug Bait


Lift flap here to open




To open lift tab and pull up



Press here to break seal



Sprinkle pellets.  
See How to use



Reclose by inserting tab into slot  
Store in a safe place