

Front panel of blister pack

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS



CONFIDOR®

CONCENTRATE INSECTICIDE

ACTIVE CONSTITUENT: 200 g/L IMIDACLOPRID

Makes up to 32 litres

HIBISCUS FLOWER BEETLE

APHIDS

MEALYBUGS

LACE BUG

BRONZE ORANGE BUG

THRIPS

**For the systemic control of insect pests on flowers, shrubs,
trees, fruit trees and vegetables in the home garden**



**The bottle must not be sold separately. Ensure while product still remains
that bottle is re-inserted into blister pack and outer packaging is not
destroyed**

8 mL

Rear panel of blister pack

HOW TO USE**DO NOT** apply when conditions are hot.**DO NOT** apply when soil is dry and plants are suffering from moisture stress.

Plant	Pest	Rate	How to apply
Stone fruit	Green peach aphid, black peach aphid	6 drops per litre of water	Spray foliage thoroughly when insects are first seen or if insects re-appear. Spray underneath the leaves to kill pests which may be hiding out of sight. For hibiscus flower beetle, spray buds and flowers as needed. For longtailed mealybug, apply 3 sprays 2 weeks apart. For psyllids, spray at first sign and then a week later. For soft scales, spray in late spring or when small scales are first seen. Apply 3 sprays, 2 weeks apart. For best results spray in the morning when there is little or no wind and little direct heat from the sun. As a guide, 2 litres of spray mixture should be sufficient to thoroughly spray a fruit tree up to 3m high, or to spray 10 large tomato plants.
Capsicum, cucurbits, egg plant, potato, tomato	Green peach aphid		
Brassicas	Grey cabbage aphid, turnip aphid		
Cucumber, sweet potato	Silverleaf whitefly		
Egg plant	Melon thrips		
Roses	Aphids		
Ornamentals	Aphids, azalea lace bug, bronze orange bug, harlequin bug, citrus mealybug, greenhouse thrips, Fullers rose weevil, psyllids, soft scale	12 drops per litre	
	Hibiscus flower beetle, longtailed mealybug		

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY
TO THIS LABEL UNLESS AUTHORISED**

**DO NOT PICK STONE FRUIT FOR 21 DAYS AFTER SPRAYING
DO NOT PICK BRASSICAS, CAPSICUMS, EGG PLANTS, POTATOES OR
SWEET POTATOES FOR 7 DAYS AFTER SPRAYING
DO NOT PICK TOMATOES FOR 3 DAYS AFTER SPRAYING
DO NOT PICK CUCURBITS FOR 1 DAY AFTER SPRAYING**

Rear panel of blister pack cont

HOW TO PREPARE

Shake well before use. Add the required number of drops of Confidor to water in a sprayer and mix thoroughly. The prepared spray must be used on the day it is mixed.

Caution

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees.

Storage and Disposal

Store in the closed, original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

Safety Directions

Harmful if swallowed. Wash hands after use.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre on 131126.

Liability

This product must be used strictly as directed. Bayer Australia Limited accepts no responsibility for loss or damage arising from failure to follow directions for use.

® Registered Trademark of Bayer

Bayer Environmental Science

A Business Group of Bayer CropScience Pty Ltd.

391 – 393 Tooronga Road, East Hawthorn Vic 3123

APN

BN

DOM



Marketed and recommended by

Arthur Yates & Co Limited

21A Richmond Road Homebush NSW 2140

(02) 9763 9200 yates.com.au

APVMA Approval Number 55962/8 mL/0604

Inner bottle label

**CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS**

**CONFIDOR®
CONCENTRATE INSECTICIDE**

200 g/L IMIDACLOPRID

Read accompanying directions before use

8 mL

Safety Directions

Harmful if swallowed. Wash hands after use.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre on 131126.

Bayer Environmental Science
A Business Group of Bayer CropScience Pty Ltd.

Bayer CropScience Pty Ltd
391 – 393 Tooronga Road, East Hawthorn Vic 3123
APN BN DOM

APVMA Approval Number 55962/8 mL/0604