

**CAUTION**

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACTIVE CONSTITUENT: 15 g/L ALPHA-CYPERMETHRIN**

GROUP	3A	INSECTICIDE
-------	----	-------------

A residual insecticide for control of ants, cockroaches, silverfish, fleas, flies and spiders in domestic, industrial and public health situations.

TO BE USED BY LICENSED PEST CONTROL OPERATORS ONLY

**FENDONA 15 SC INSECTICIDE**

**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, industrial and public health situations	German cockroach Australian cockroach, American cockroach, smoky brown cockroach, oriental cockroach, fleas, flies, silverfish, spiders	40 mL in 1 L water <b>Initial treatment</b> Or <b>Extended control</b> Or <b>Heavy infestations:</b> 40 mL in 1 L water <b>Maintenance treatment</b> Or <b>Short term control</b> Or <b>Light infestations:</b> 20 mL in 1 L water	For crawling insects, apply as a coarse low pressure spray to areas where pests frequent. For flying insects, apply as a surface treatment using a fine spray to wet the surface. Apply 5 L of diluted spraymix per 100 square metres. If a different water rate is required, adjust the dilution rate to ensure that 2 mL of FENDONA is applied per square metre for initial treatments, extended control or heavy infestations; and that 1 mL of FENDONA is applied per square metre for maintenance treatments, short term control or light infestations. Add a non-ionic surfactant at the registered label rates to improve spreading on hard to wet surfaces. FENDONA 15 SC is NOT to be used to control fleas on animals.
	Ants	<b>Initial treatment</b> 50 to 65 mL in 1 L water <b>Maintenance treatment</b> 35 mL in 1 L water	Use the higher rate for ant control where population numbers are high.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## FENDONA 15 SC INSECTICIDE

### GENERAL INSTRUCTIONS

FENDONA 15 SC Insecticide controls insects by contact action and ingestion. When applied as a surface spray, the product offers long residual activity. FENDONA is of relatively low toxicity to humans and other mammals and is suitable for use in domestic and public areas.

### INSECTICIDE RESISTANCE WARNING

GROUP	3A	INSECTICIDE
-------	----	-------------

For insecticide resistance management FENDONA 15 SC Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to FENDONA 15 SC Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if FENDONA 15 SC or other Group 3A insecticides are used repeatedly. The effectiveness of FENDONA 15 SC Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from the failure of FENDONA 15 SC Insecticide to control resistant insects.

FENDONA 15 SC Insecticide may be subject to specific resistance management strategies. For further information, contact your local supplier, BASF Australia Ltd representative.

### APPLICATION

FENDONA 15 SC can be applied with a knapsack sprayer or other conventional spray equipment used to control public health pests. To obtain best results all surfaces should be treated, especially cracks, crevices and infested areas. A higher volume of water may be required on very absorbent surfaces. Apply to the point of run-off only.

Shake or invert the container before opening. Carefully measure the required amount of FENDONA 15 SC in a graduated cylinder and add to half the volume of water in the spray tank. Top up with the remainder of the water and agitate thoroughly. Do NOT store diluted insecticide. Prepare a fresh suspension as necessary.

Evacuate premises to be treated.

The premises can be re-occupied once spray applications are completed.

Clean sprayer out thoroughly after use.

### PRECAUTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use - remove or cover all exposed foodstuffs; cover all dishes and utensils, and places where food is prepared or stored.

After use - thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

Cover or remove bird cages or fish tanks during spraying.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do NOT contaminate ponds, waterways or drains with product or used container.

### STORAGE AND DISPOSAL

Store in the original container, tightly closed, in a safe place. Keep away from foodstuffs. Triple rinse containers with water before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on-site. Break, crush or puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should NOT be burnt.

### SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Avoid inhaling spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone 131126 Australia-wide.

*Text above the line is not part of the label*

---

**MSDS**

Additional information is listed in the Material Safety Data Sheet.

**CONDITIONS OF SALE**

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD  
UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF  
DANGEROUS GOODS BY ROAD AND RAIL.

FOR SPECIALIST ADVICE IN AN  
**EMERGENCY ONLY**  
**PHONE 1 800 803 440**  
TOLL FREE - ALL HOURS - AUSTRALIA WIDE

APVMA Approval No.: 40496/1299 V210105  
Version: V210105  
Product No.:

® = Registered trademark of BASF  
© BASF, 2005  
Website: [www.termidor.com.au](http://www.termidor.com.au)  
Customer Service Hotline: 1800 006 393

BASF Australia Ltd  
ABN 62 008 437 867  
500 Princes Highway  
Noble Park Vic 3174