

MAIN PANEL

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



K-Obiol[®] Combi

SYNERGISED GRAIN PROTECTANT

ACTIVE CONSTITUENTS: 50 g/L DELTAMETHRIN
400 g/L PIPERONYL BUTOXIDE

GROUP 3A INSECTICIDE

10 L For mixing with uninfested cereal grain, including malting barley and sorghum, for protection against various insect pests as per the DIRECTIONS FOR USE

REAR PANEL (attached to container)

DIRECTIONS FOR USE

| SITUATION | PEST | RATE | CRITICAL COMMENTS |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stored cereal grain, including malting barley and sorghum | Rice weevil, granary weevil, maize weevil, saw-toothed grain beetle, flat grain beetles, rust-red flour beetle, confused flour beetle, lesser grain borer, tropical warehouse moth | 2 L per 100 L water | Apply at the rate of 1 litre diluted spray per tonne of grain. Apply through standard grain spraying machinery. The output of spray through each nozzle must be regulated according to the flow of the grain. See mixing/applications instructions. This treatment will provide up to 9 months' protection. In Western Australia for use by bulk handling authorities only. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

Insecticide Resistance Warning

| | | |
|--------------|-----------|--------------------|
| GROUP | 3A | INSECTICIDE |
|--------------|-----------|--------------------|

For insecticide resistance management, K-Obiol Combi Synergised Grain Protectant is a group 3A insecticide.

Some naturally occurring insect biotypes resistant to K-Obiol Combi and other Group 3A insecticides may exist through normal genetic variability in any insect population.

The resistant individuals can eventually dominate the insect population if K-Obiol Combi or other Group 3A insecticides are used repeatedly. The effectiveness of K-Obiol Combi on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from the failure of K-Obiol Combi Synergised Grain Protectant to control resistant insects.

K-Obiol Combi Synergised Grain Protectant may be subject to specific resistance management strategies. For further information contact your local supplier or Bayer Environmental Science representative.

MIXING/APPLICATION

Do not store diluted insecticide; prepare a fresh solution as necessary. Do not spray the moving parts of any machinery, electric motors or switch-gear with the water-based product. The diluted spray should be applied through special grain spraying equipment. The spray nozzle(s) must be capable of delivering an even spray pattern and the output of spray must be regulated according to the flow of the grain. The spray rate, measured in litres per hour must equal the auger or elevator uptake in tonnes per hour. Treated grain should not be moved for 24 hours after treatment. On completion wash out spraying equipment, mixing and measuring utensils with water.

EXPORT OF TREATED PRODUCE

Users should note that suitable MRLs or import tolerances may not have been established in all markets for produce treated with K-Obiol. If necessary, details of overseas MRLs or tolerances should be obtained prior to treating grain for export using this product.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic organisms. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple rinse or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist or equivalent clothing, elbow length PVC gloves, goggles and full face respirator. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (phone 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval No.: 58393/10/0904

K-Obiol® is a Registered Trademark of Bayer.

Bayer Environmental Science
A Business Group of Bayer CropScience Pty Ltd
A.B.N. 87 000 226 022
391-393 Tooronga Rd
East Hawthorn Vic 3123
Phone: 03 9248-6888
Fax: 03 9248-6800
Website: www.bayercropscience.com.au

FOR 24 HOUR SPECIALIST ADVICE
IN EMERGENCY ONLY
PHONE **1800 033 111**

Batch Number:

K-Obiol Combi draft label 10/09/04
Date of Manufacture:

flat label 10 L and 20 L

Page 4 of 4



Bar code:

Label code