

Measure pack (sealed foil sachet)

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

K-O Tab[®]

ACTIVE CONSTITUENT: 250 g/kg DELTAMETHRIN

(label code)

1.6 g Net

Read all directions on outer pack.
Not to be sold separately.

APVMA No: 55992/1.6/0404

On reverse side of tablet foil

[PICTOGRAM]

DO NOT SWALLOW

Two tablet pack Main Panel – leaflet within clear-plastic snap-lock bag

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

K-O Tab[®]

WT Residual Insecticide Tablet

ACTIVE CONSTITUENT: 250 g/kg DELTAMETHRIN

GROUP	3A	INSECTICIDE
-------	-----------	-------------

2 x 1.6 g Net
--

For the control of spiders, mosquitoes, flies, cockroaches, fleas and bed-bugs and for the treatment of mosquito nets to provide a lasting repellent and killing effect against mosquitoes and sandflies.

Contains 2 measure packs which it is illegal to sell separately

(label code)

Two tablet pack Inner panel of leaflet inside plastic bag**K-O Tab WT Residual Insecticide Tablet**

Directions For Use:

Situations	Pest	Rate	Critical Comments
			2.5 L of spray will cover approximately 50 m ² of non-porous surface and 25 m ² of porous surface.
Domestic, industrial and institutional buildings including farm buildings, food processing establishments, shops, offices, factories, storerooms, hospitals, schools, barracks, hotels, houses, transport vessels and facilities and external areas associated with such buildings.	Mosquitoes and flies	One tablet / 2.5 L water (refer general instructions below)	Apply as a spray to the point of run-off to surfaces where mosquitoes and flies rest on walls, verandahs, awnings, fences etc. Note: The duration of residual control can be affected by the nature of the surface treated. Extended control beyond one to two months may not be expected on certain surfaces and re-application may be necessary to achieve continued results.
	Web-spinning spiders		Spray spiders, their webbing and areas where spiders may hide directly. It is recommended that webbing is left in place for a few days after application to optimise efficacy.
	Cockroaches		Spray areas where cockroaches may hide (eg. cracks and crevices; behind stoves, sinks and cupboards; around rubbish bins etc).
	Bed-bugs		Apply to the bed-frame and walls, cracks, crevices and skirting boards in the vicinity of the bed. DO NOT apply to bedding.
	Fleas		Clean and vacuum infested areas and burn dust collected. Lightly spray infested areas concentrating on areas under furniture etc. Treat pets with a suitably registered flea control product.
Mosquito Bed-net treatment	Mosquitoes and sandflies	(Synthetic mosquito net) 1 tablet in 0.5 litres of water	Note that the amount of deltamethrin adsorbed onto the fabric will depend largely on the material to be treated. These rates are specific to these net materials - other materials may have different rates of absorption and this will affect the dose obtained. The nominal target dose for these rates is 25 mg/m ² of net.
		(Cotton mosquito net) 1 tablet in 2 litres of water	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

Two tablet pack *Inner panel of leaflet within plastic bag*

GENERAL INSTRUCTIONS:

- RESIDUAL SURFACE SPRAY APPLICATION:

Mixing:

Measure out desired volume of water, tear foil seal on tablet and drop tablet into water. Allow tablet to disperse thoroughly, agitate liquid to ensure that tablet is thoroughly dispersed. Apply at the rate of 2.5 L of prepared spray per 50 m² on non-porous surfaces or per 25 m² of porous surface.

How to Apply

Always add the tablet to water at the rates given, and apply (with a sprayer capable of giving a coarse spray) directly onto exposed surfaces frequented by the pests. All dilutions should be applied to run off, i.e. 1 L of prepared spray per 20 - 30 m², depending on porosity of the surface to be sprayed. Prepare a fresh suspension as required. Do not store diluted insecticide.

Precautions:

If sprayers are equipped with a nozzle filter do not use a filter finer than 50 mesh (300 microns). Clean filter after each day's spraying.

- MOSQUITO BED-NET IMPREGNATION:

THIS PRODUCT IS NOT FOR USE AS AN INSECT REPELLENT ON THE SKIN.
Avoid contact with food, food utensils or places where food is prepared or stored.

Instructions for use:

- Put on waterproof gloves before starting dipping process.
- Measure correct volume of water into dipping bowl or container.
- Open foil of tablet carefully. Avoid handling the tablet especially with bare hands. Allow tablet to drop into measured volume of water.
- Allow tablet to disintegrate completely and then stir water thoroughly to ensure even suspension (4).
- Put net into liquid and push it up and down and turn over several times pushing the liquid into the net.
- Lift net clear of liquid and allow any excess to drain back. **DO NOT** wring out excess solution from net as this will result in an uneven coverage of the net.
- Lay net flat on plastic sheet in shade until just damp.
- Hang on line in shade for final drying.
- Fix net over bed and use every night in all seasons when mosquitoes are present.
- Re-treat net once a year or after 3 washes - this product will remain effective after the net is washed up to three times.

When used as directed K-Otab will be effective at improving the protection afforded by a mosquito-net for up to 12 months. Keep impregnated nets in a sealed plastic bag out of direct sunlight when not in use to maximise duration of effectiveness.

The use of an insecticide treated bed-net will reduce the chances of being bitten by an insect which may carry disease; it should not be relied upon as the sole means of protection against insect-borne diseases. Other measures should also be considered and medical advice sought in relation to this matter.

Two tablet pack Inner panel of leaflet within plastic bag

Insecticide Resistance Warning

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For insecticide resistance management, K-Otab is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to K-Otab and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if K-Otab or other Group 3A insecticides are used repeatedly. The effectiveness of K-Otab on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from the failure of K-Otab to control resistant insects. For further information on managing insecticide resistance contact your local supplier or Bayer representative.

Two tablet pack - Visible rear panel of leaflet

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes. Avoid contact with eyes and skin. Facial skin contact may cause temporary facial numbness. When opening foil packs, preparing dip or spray and using the prepared dip wear waterproof gloves. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves and face-shield. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre (In Australia telephone 13 11 26).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the product, prepared dip solution or used packaging.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Dispose of tablet wrapper by wrapping in paper, placing in a plastic bag and putting in the garbage. After use, puncture or shred the bag and the disposable gloves and dispose of in household garbage as above. Unused dip solution can be disposed of by pouring over bare soil or around non-food producing plants in the home garden.

Material Safety Data Sheet: Additional information is available in the Material Safety data sheet.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

K-O Tab® is a Registered Trademark of Bayer
APVMA Approval No.: 55992/2x1.6/0404

Bayer Environmental Science
A Business Group of Bayer CropScience Pty Ltd
A.C.N. 000 226 022
391-393 Tooronga Rd
East Hawthorn Vic 3123
Australia
Phone: 03 9248-6888
Fax: 03 9248-6800
Website: www.bayercropscience.com.au

Bar Code

*Batch Number:
*Date of Manufacture:

(* On rear panel of label only)

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

K-O Tab[®]

WT Residual Insecticide Tablet

ACTIVE CONSTITUENT: 250 g/kg DELTAMETHRIN

100 x 1.6
g Net

A tablet preparation for suspension in water and subsequent treatment of mosquito bed-nets to provide a lasting repellent and killing effect against mosquitoes and sandflies.

Contains 100 measure packs which it is illegal to sell separately.



(label code)

100 Tablet Pack - REAR PANEL (attached to container)

HOW TO USE

THIS PRODUCT IS NOT FOR USE AS AN INSECT REPELLENT ON THE SKIN.
Avoid contact with food, food utensils or places where food is prepared or stored.

Instructions for use: (Refer also to numbered pictograms)

- Nets to be treated should be washed and dried before treating.
- Put on waterproof gloves before starting dipping process (1).
- Measure correct volume of water into dipping bowl or container (2).
- Open foil of tablet carefully. Avoid handling the tablet especially with bare hands. Allow tablet to drop into measured volume of water (3).
- Allow tablet to disintegrate completely and then stir water thoroughly to ensure even suspension (4).
- Put net into liquid and push it up and down and turn over several times pushing the liquid into the net (5).
- Lift net clear of liquid and allow any excess to drain back. **DO NOT** wring out excess solution from net as this will result in an uneven coverage of the net (6).
- Lay net flat on plastic sheet in shade until just damp (7).
- Hang on line in shade for final drying (8).
- Fix net over bed and use every night in all seasons when mosquitoes are present.
- Re-treat net once a year or after 3 washes - this product will remain effective after the net is washed up to three times.

PICTOGRAMS 1 – 10

Fabric	Dilution rate	CRITICAL COMMENTS
Synthetic mosquito net	1 tablet in 0.5 litres of water	Note that the amount of deltamethrin adsorbed onto the fabric will depend largely on the material to be treated. These rates are specific to these net materials - other materials may have different rates of absorption and this will affect the dose obtained. The nominal target dose for these rates is 25 mg/m ² of net. These rates assume an average net size of up to 16 m ² . Read the instructions for use (above). The use of an insecticide treated bed-net will substantially reduce the chance's of being bitten by an insect which may carry disease; it should not be relied upon as the sole means of protection against insect-borne diseases. Other measures should also be considered and medical advice sought in relation to this matter
Cotton mosquito net	1 tablet in 2 litres of water	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED**

When used as directed K-O Tab will be effective at improving the protection afforded by a mosquito-net for up to 12 months. Keep impregnated nets in a sealed plastic bag out of direct sunlight when not in use to maximise duration of effectiveness.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When opening pack, preparing dip and using the prepared dip, wear elbow length rubber gloves. Wash hands and gloves after use.

PRECAUTION

If treating multiple numbers of nets in large containers and splashing is unavoidable it is recommended that workers wear a waterproof apron when using the product.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (In Australia telephone 13 11 26).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

Dangerous to fish. **DO NOT** contaminate streams, rivers or waterways with the product, prepared dip solution or used packaging.

100 Tablet pack - Rear panel of label (contd)

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Dispose of tablet wrapper by wrapping in paper, placing in a plastic bag and putting in the garbage. Unused dip solution can be disposed of by pouring over bare soil or around non-food producing plants in the home garden.

Do not re-use container for any other purpose. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

EXCLUSION OF LIABILITY


This product must be used strictly as directed, and in accordance with all instructions appearing on the label and other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage from failure to follow such directions and instructions.

APVMA Approval No.: 55992/100x1.6/0404

K-O Tab[®] is a Registered Trademark of Bayer

Bayer Environmental Science
A Business Group of Bayer
CropScience Pty Ltd
A.B.N. 87 000 226 022
391-393 Tooronga Rd
East Hawthorn Vic 3123
Phone: (+61) 3 9248-6888
Fax: (+61) 3 9248-6800
Website:
www.bayercropscience.com.au

*Bar code



(label code)

*Batch Number:

*Date of Manufacture:

(* On rear panel of label only)