

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

Folimat[®] Garden

INSECTICIDE

Active Constituent: 2 g/kg OMETHOATE (an anticholinesterase compound)

Controls pests on flowers, shrubs, trees, fruit and vegetables in the home garden

Keeps on killing insect pests for 2-3 weeks even after rain*

***When used as directed and providing rain does not fall soon after application**

CAUTION

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.
 DO NOT spray if bees are feeding on flowering plants. Will kill bees.
 Cover fish tanks and remove caged birds and pets from treatment area before using.

STORAGE AND DISPOSAL

Keep in a cool place out of the sun, and out of the reach of children. Do not incinerate or puncture this can, even when empty. Dispose of can by putting in garbage, or leaving it at an appropriate metal recycling collection point.

SAFETY DIRECTIONS

Product is harmful if inhaled. Will irritate the eyes. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Do not inhale spray mist. Wash hands after use.

FIRST AID

If sprayed on skin, wash thoroughly. If sprayed in mouth, give milk or water.

LIABILITY

This product must be used strictly as directed. Bayer CropScience Pty Ltd accepts no responsibility for loss or damage arising from failure to follow directions for use.

Folimat[®] is a registered trademark of Bayer

NRA Approval Number 33051/01

FOR 24 HOUR SPECIALIST ADVICE
 IN EMERGENCY ONLY
 PHONE 1800 033 111

HIGHLY FLAMMABLE: KEEP AWAY FROM NAKED FLAME

NOTE: can sprays at any angle



HOW TO USE

PLANTS	PESTS	HOW TO APPLY
Flowers, ornamental trees and shrubs	Aphids, thrips, caterpillars, bugs (eg lace bug), mealybugs, mites, whiteflies	Spray foliage thoroughly from a distance of 30 cm when insects are first seen or if insects re-appear. Spray underneath the leaves to kill pests which may be hiding out of sight. For best results spray in the morning when there is little or no wind and little direct heat from the sun and when plants and conditions are dry. Do not spray if it is raining or about to rain. Note: Some populations of mites may be resistant to this product.
Eucalyptus	Leaf eating beetles	
Vegetables, herbs	Aphids, thrips, whiteflies, caterpillars (eg cabbage white butterfly, cabbage moth)	
Citrus	Citrus leaf miner, aphids, mealybug, thrips, bronze orange bug	
Apples	Thrips, woolly aphid, mites	
	Codling moth	Spray every 14 to 21 days from petal fall until 7 days before harvest.
(diagram)	Folimat Garden Insecticide kills garden insect pests: 1. On contact - for immediate results. 2. Systemic action gives residual protection - Folimat is absorbed by the plant and moves through the sap system killing sucking insects as they feed. Each application provides 2-3 weeks of control depending upon conditions and the kind of insect.	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED

DO NOT PICK FRUIT, VEGETABLES AND HERBS FOR 7 DAYS AFTER SPRAYING