

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Reslin[®]

THERMAL FOGGING AND ULV INSECTICIDE CONCENTRATE

Active Constituents: 50 g/L BIORESMETHRIN
400 g/L PIPERONYL BUTOXIDE
Solvent: 370 g/L HYDROCARBON LIQUID

GROUP 3A INSECTICIDE

**For indoor and outdoor control of flying insect pests and American cockroaches
as per the DIRECTIONS FOR USE table**

GENERAL INSTRUCTIONS

Insecticide Resistance Warning

For insecticide resistance management, Reslin is a Group **3A** insecticide.

Some naturally occurring insect biotypes resistant to Reslin and other Group **3A** insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Reslin or other Group **3A** insecticides are used repeatedly. The effectiveness of Reslin on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from the failure of Reslin to control resistant insects.

For further information on managing insecticide resistance contact your local supplier or Bayer Environmental Science representative.

MIXING

Dilute Reslin with a suitable volume of water, oil or kerosene according to the equipment manufacturer's recommendations for the output rates required.

EQUIPMENT

Reslin may be sprayed through thermal fogging equipment, cold aerosol generating ULV equipment, hand-held or knapsack sprayers.

PRECAUTIONS

DO NOT USE in areas containing prescribed goods or in any manner likely to cause any contamination of prescribed goods in export registered meat facilities.

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils, and places where food is prepared or stored. Fish bowls/aquariums should be removed or covered during indoor application.

After use, thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF LIVESTOCK

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. Wash concentrate from skin and eyes immediately. Do not inhale vapour or spray mist. Ensure adequate ventilation during use. Wash hands and exposed skin after use and before eating, drinking or smoking.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, do NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Reslin® is a Registered Trademark of Bayer

NRA Approval No. 32575/0603

FOR 24 HOUR SPECIALIST ADVICE
IN EMERGENCY ONLY
PHONE 1800 033 111

DIRECTIONS FOR USE**Restraints**

DO NOT use for insect control in areas likely to cause contamination of prescribed goods in export registered meat facilities

SITUATION	PEST	RATE	CRITICAL COMMENTS
Warehouses, flour mills, wool stores, factories, kitchens, industrial buildings, domestic residences	Biting midges, moths (including stored product and textile moths), flies, mosquitoes, American cockroaches	20 mL/ 1000 m ³	Dilute with a suitable volume of water, oil or kerosene. In food processing areas dilute with water only. Using thermal fogging or cold aerosol generating ULV equipment, hand-held or knapsack sprayer, spray into air or onto infested area. Repeat when necessary, as determined by management practices and environment conditions. Dilution with water is preferred where there is a risk of flammability, e.g. council tips.
Outdoors, including council tips, picnic areas, sports grounds, recreation areas and in mosquito eradication campaigns		100 mL/ha using water as diluent OR 200 mL/ha using oil or kerosene as diluent	
Direct spraying of refuse		20 mL/ 1000m ³	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.